NIT COOLING TOWER			EVAPCO, INC. EVAPCO				DWG. #	T4142424-DRA-ST		EV
ODEL #	AT 114-2O24	SCALE NTS	LVAP	CO, 11	10.		SERIAL #		D	<sup>ATE</sup> 3/5/2025
2. HEAVIE 3. MPT DE FPT DEI BFW DE GVD DE FLG DEI PE DEN 4. +UNIT W 20 psi M 6. 3/4" [19N REFER DRAWIN 7. DIMENS ENG	I MOTOR LOCATION ST SECTION IS UPPER SEC NOTES MALE PIPE THREA NOTES FEMALE PIPE THREA NOTES BEVELED FOR WE NOTES GROOVED NOTES FLANGE OTES PLAIN END /EIGHT DOES NOT INCLUE SORIES (SEE ACCESSORY P WATER PRESSURE IN [137 kPa], 50 psi MAX [34 MM] DIA. MOUNTING HOLES TO RECOMMENDED STEEL IG IONS LISTED AS FOLLOWS LISH FT-IN TRIC] [mm]	D EAD ELDING DE DRAWINGS) 14 kPa] S. SUPPORT		<u>PL</u>	FACE B AN VIEW	FAC	ACCESS DO		FACE D	<u>.</u>
			[ 77" ]		l'-5 1/4" [ 438 ]	<u>FAC</u>	<u>E A</u>			
			9'-2 1/4" [ 2800 ]	-		111-10 1/2"	(M)	550]		
			2" 51 ] 17'-5 1/2" [ 5321 ] 8'-3 1/4" [ 2521 ]	11'-3 3/4"		11'-10 1/2"	BFW/C INLET			
	13'-11 1/4" [ 4248 ] FACE B	-	- 3/8" - [9]	2'-2" [ 660 ] 1'-5 3/8" [ 441 ] 9" [ 229 ]	9" [ 229 ]	4" [100] FPT OVERFLOW 4" [100] FPT DRAIN	- 14" [35 BFW/G OUTLET	0] /D		
SHIPPING WEIGHT	17010 lbs+ [772	20] kg+	OPERATING 33290 lbs+ [	15105] kg+	HEAVIEST SECTION WEIGHT	11170 lbs+ [5070] kg+	E A	IPPING SECTIONS 2	DRAW	<sup>(N BY:</sup> MER