



Evapco eco-LSWE Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Propylene Glycol as Process Fluid

Table with columns for date (8/19/2016), Model, and 48 numerical columns representing performance metrics. Rows include various eco-LSWE models such as eco-LSWE 4-2F6, eco-LSWE 4-2G6, etc., up to eco-LSWE 8P-5O12.



Evapco eco-LSWE Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Propylene Glycol as Process Fluid

Table with columns for date (8/19/2016), Model, and 48 numerical columns representing thermal performance metrics. The table contains multiple rows of data for various models and conditions.



Evapco eco-LSWE Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Propylene Glycol as Process Fluid

Table with columns for date (8/19/2016), Model, and 48 numerical columns representing performance metrics. The table lists various eco-LSWE models and their corresponding values across multiple columns.





Evapco eco-LSWE Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Propylene Glycol as Process Fluid

Table with columns for date (8/19/2016), Model, and 48 numerical columns representing performance metrics. Rows include various model numbers such as eco-LSWE 8P-3M12-Z, eco-LSWE 8P-3N12-Z, etc., up to eco-LSWE 10-5M24-Z.

