



Evapco ATWB Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, 3/1/2018, and various flow rates (67 to 115) and temperatures (89.6 to 98.6). Rows include models like ATWB 4-36E, ATWB 4-36F, etc., up to ATWB 9-48H.



Evapco ATWB Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, 3/1/2018, and 57-93 flow rates. Rows list various ATWB models (e.g., ATWB 9-4I8, ATWB 9-4I18) and their corresponding performance metrics across different flow rates.



Evapco ATWB Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, 3/1/2018, and 67-115 (Flow) and 89.6-115 (Flow) for various configurations. The table contains performance data for 48 different models, each with 49 data points.



Evapco ATWB Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, 3/1/2018, and 67-115 (Flow) and 89.6-115 (First Flow) for various ATWB models. The table contains performance data for models ranging from ATWB 12-6M18 to ATWB 24-3M12.



Evapco ATWB Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, 3/1/2018, and various flow rates (67 to 115) and temperatures (89.6 to 98.6). The table contains a large grid of numerical data representing thermal performance metrics.



Evapco ATWB Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, 3/1/2018, and 67-115 (Flow) and 89.6-115 (Flow) for various ATWB models. Includes a detailed header for flow rates and a large data grid.



Evapco ATWB Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, 3/1/2018, and 100 flow rate columns (67-115). Rows list various ATWB models (e.g., ATWB 8-7112, ATWB 8-7113) and their corresponding performance metrics.



Evapco ATWB Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, 3/1/2018, and 115 flow rate columns (67-115). Rows list various ATWB models (e.g., ATWB 8-4M28, ATWB 8-5128, etc.) and their corresponding performance metrics.





Evapco ATWB Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, 3/1/2018, and 89 flow rate columns (67-115). Rows list various ATWB models (e.g., ATWB 16-4114, ATWB 16-4114, etc.) and their corresponding performance metrics.



Evapco ATWB Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, 3/1/2018, and 100+ columns of performance metrics (67-115, 89.6-98.6, First Flow, Second Flow, Third Flow). Rows list various ATWB models like ATWB 10-3M36, ATWB 10-3N36, etc.



Evapco ATWB Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, 3/1/2018, and 89 flow rate columns (67-105). Rows include various ATWB models (e.g., ATWB 20-7L24, ATWB 20-7M24) and their corresponding performance metrics across different flow rates.



Evapco ATWB Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, 3/1/2018, and various flow rates (67 to 115) and temperatures (89.6 to 98.6). The table contains performance data for various ATWB models.



Evapco ATWB Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, 3/1/2018, and 67-115 (Flow Rate) and 89.6-115 (Temperature). Rows list various ATWB models (e.g., ATWB 9-6L12-Z, ATWB 9-6M12-Z) and their corresponding performance metrics.



Evapco ATWB Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, 31/2018, and 67-115 (Flow) and 89.6-115 (Flow) for various ATWB models. The table contains performance data for models ranging from ATWB 12-4L12-Z to ATWB 12-7N28-Z.



Evapco ATWB Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, 3/1/2018, and various flow rates (67 to 115) and temperatures (89.6 to 98.6). The table contains performance data for various Evapco ATWB models.



Evapco ATWB Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, 3/1/2018, and various flow rates (67 to 115) and temperatures (89.6 to 98.6). The table contains performance data for various ATWB models.





Evapco ATWB Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, 3/1/2018, and 70-115 flow rates. Rows list various ATWB models (e.g., ATWB 8-719-Z, ATWB 8-719-Z, etc.) and their corresponding performance metrics across different flow rates.



Evapco ATWB Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, 3/1/2018, and various flow rates (67 to 115) and temperatures (89.6 to 98.6). Rows include models like ATWB 8-5121-Z, ATWB 8-5122-Z, etc.



Evapco ATWB Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, 3/1/2018, and 67-115 (Flow) and 89.6-115 (Flow) for various ATWB models. The table contains a dense grid of numerical data representing thermal performance metrics.



Evapco ATWB Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, 3/1/2018, and various flow rates (67 to 115) and temperatures (89.6 to 98.6). The table contains performance data for various ATWB models.



Evapco ATWB Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, 3/1/2018, and various flow rates (67 to 115) and temperatures (89.6 to 98.6). The table contains performance data for various ATWB models.