



Evapco ATWB Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Propylene Glycol Water as Process Fluid

Table with columns for Model, 3/1/2018, and various flow rates (67 to 115 GPM) and temperatures (70 to 115 PSI). Rows list models from ATWB 4-3F6 to ATWB 9-4H8.



Evapco ATWB Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Propylene Glycol Water as Process Fluid

Table with 31 columns (3/1/2018, 67-115, 89.6-102, 98.6-102, First-Third Flow, First-Third Flow) and 100 rows of data for various ATWB models (ATWB 9-4I8 to ATWB 9-3H21).



Evapco ATWB Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Propylene Glycol Water as Process Fluid

Table with columns for Model, 3/1/2018, and 67-115 (Flow) and 89.6-115 (Flow) for various coil configurations. The table contains a dense grid of numerical data representing thermal performance metrics.



Evapco ATWB Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Propylene Glycol Water as Process Fluid

Table with columns for Model, 3/1/2018, and 67-115 (Flow) and 89.6-115 (Flow) for various ATWB models. The table contains performance data for models ranging from ATWB 12-6M18 to ATWB 24-3M12.



Evapco ATWB Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Propylene Glycol Water as Process Fluid

Table with columns for Model, 3/1/2018, and 67-115 for both flow and flow rate. Rows list various ATWB models (e.g., ATWB 24-4K12, ATWB 24-4L12) and their corresponding performance metrics.



Evapco ATWB Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Propylene Glycol Water as Process Fluid

Table with columns for Model, 3/1/2018, and 67-115 (Flow) and 89.6-115 (Flow) for various ATWB models. Includes sub-headers for Flow, PSI, and Inlet for each flow rate.



Evapco ATWB Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Propylene Glycol Water as Process Fluid

Table with columns for Model, 3/1/2018, and 70-115 flow rates. It contains a dense grid of numerical data representing thermal performance metrics for various ATWB models.



Evapco ATWB Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Propylene Glycol Water as Process Fluid

Table with columns for Model, 3/1/2018, and 100 columns of flow rate and temperature data. The table contains performance data for various ATWB models under different conditions.





Evapco ATWB Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Propylene Glycol Water as Process Fluid

Table with columns for Model, 3/1/2018, and 89 flow rate columns (50 to 92). Rows list various ATWB models (e.g., ATWB 16-4114, ATWB 10-3K12) and their corresponding performance metrics.



Evapco ATWB Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Propylene Glycol Water as Process Fluid

Table with columns for Model, 3/1/2018, and 67-92 for each of the 100 models. Each cell contains numerical performance data.



Evapco ATWB Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Propylene Glycol Water as Process Fluid

Table with columns for Model, 3/1/2018, and 67-115 (Flow Rates) and 89.6-92.5 (Temperatures). Rows list various ATWB models and their performance metrics.



Evapco ATWB Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Propylene Glycol Water as Process Fluid

Table with columns for Model, 3/1/2018, and various flow rates (67 to 115) and temperatures (89.6 to 98.6). The table contains performance data for various ATWB models.



Evapco ATWB Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Propylene Glycol Water as Process Fluid

Table with columns for Model, 3/1/2018, and 67-115 (Flow) and 89.6-115 (Flow) for various flow rates. The table contains performance data for 48 different models, including flow rates, temperatures, and pressure drops.



Evapco ATWB Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Propylene Glycol Water as Process Fluid

Table with columns for Model, 3/1/2018, and 67-115 (Flow) and 89.6-115 (Flow) for various coil configurations. The table contains a dense grid of numerical data representing thermal performance metrics.



Evapco ATWB Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Propylene Glycol Water as Process Fluid

Table with columns for Model, 3/1/2018, and various flow rates (67 to 115) and temperatures (89.6 to 98.6). The table contains performance data for various ATWB models.



Evapco ATWB Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Propylene Glycol Water as Process Fluid

Table with columns for Model, 3/1/2018, and 67-115 for both flow and inlet. Rows list various model numbers (e.g., ATWB 24-5N20-Z, ATWB 24-5O20-Z) and their corresponding performance metrics.





Evapco ATWB Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Propylene Glycol Water as Process Fluid

Table with 31 columns (3/1/2018, 57-115, 89.6-115, 89.6-115, First Flow, First Flow, First Flow, Second Flow, Second Flow, Second Flow, Third Flow, Third Flow, Third Flow) and 100 rows of data for various ATWB models.



Evapco ATWB Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Propylene Glycol Water as Process Fluid

Table with columns for Model, 3/1/2018, and 67-115 (Flow Rates) and 89.6-115 (Temperatures). Rows list various ATWB models (e.g., ATWB 8-5121-Z, ATWB 8-3124-Z) and their corresponding performance metrics.



Evapco ATWB Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Propylene Glycol Water as Process Fluid

Table with columns for Model, 3/1/2018, and 67-115 (Flow) and 89.6-115 (Flow) for various ATWB models. The table contains a dense grid of numerical data representing thermal performance metrics.



Evapco ATWB Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Propylene Glycol Water as Process Fluid

Table with columns for Model, 3/1/2018, and various flow rates (67 to 115) and temperatures (89.6 to 98.6). The table contains performance data for various ATWB models.



Evapco ATWB Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Propylene Glycol Water as Process Fluid

Table with columns for Model, 3/1/2018, and various flow rate and temperature parameters (67, 70, 72, 75, 77, 80, 82, 87, 85, 82, 85, 87, 92, 90, 87, 90, 92, 95, 92, 95, 97, 102, 100, 97, 100, 102, 107, 105, 102, 105, 107, 110, 117, 115, 110, 89.6, 102, 98.6, 98.6, First Flow, First Flow, First Flow, Second Flow, Second Flow, Second Flow, Third Flow, Third Flow, Third Flow). Rows list various ATWB models from ATWB 20-4M18-Z to ATWB 20-7N36-Z.