



Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with 32 columns (3/2/2018, 67-92, 95-115, 89.6-98.6, First-Third Flow, First-Third Flow) and 100 rows of data for various model configurations.



Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with 100 columns (Model, 70-92, 95-105, 107-115, 89.6-98.6, First Flow, Second Flow, Third Flow) and 100 rows of data. The table contains numerical values for various model configurations and flow rates.



Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model, Flow (GPM), and First through Third Flow (PSI) for various configurations. Includes a sub-header for 3/2/2018.





Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model, 3/2/2018, and 67-115 (Flow) and 89.6-115 (Flow) for various configurations. The table contains a dense grid of numerical data representing thermal performance metrics.



Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with 37 columns (3/2/2018, 67, 70, 72, 75, 77, 80, 82, 87, 85, 82, 85, 87, 90, 90, 87, 90, 92, 95, 92, 95, 97, 102, 100, 102, 107, 105, 102, 105, 107, 110, 107, 110, 112, 117, 115, 89.6, 102, 98.6, 98.6, 98.6, First, First, First, Second, Second, Second, Third, Third, Third) and multiple rows of numerical data.





Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with 45 columns (3/2/2018, 67, 70, 72, 75, 77, 80, 82, 87, 85, 82, 85, 87, 90, 92, 95, 95, 92, 95, 92, 100, 102, 105, 107, 110, 112, 117, 115, 89.6, 102, 98.6, 98.6, First, First, First, Second, Second, Second, Third, Third, Third) and 100 rows of data.



Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model (3/2/2018), Flow Rate (70-87), and Temperature (85-115). Rows represent different models (eco-ATWB-H-9-2H9-U12 to eco-ATWB-H-9-112-C44) and their corresponding performance metrics.



Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model, Flow Rate (50-115 GPM), and Temperature (72-89.6 °F). Rows represent different coil models and their performance metrics under various conditions.





Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model, 3/2/2018, and 67-115 (Flow) and 89.6-98.6 (Flow). Rows list various model numbers and their corresponding performance metrics.



Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model, Flow Rate (GPM), and Temperature (°F) for various configurations. Includes rows for Model and columns for Flow Rate (GPM) and Temperature (°F).





Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Pressure Fluid

Table with columns for Model, 3/2/2018, and 67-115 (Flow) and 89.6-115 (Flow) for various configurations. The table contains performance data for different flow rates and temperatures.





Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model, 3/2/2018, and 67-115 (Flow) and 89.6-115 (Flow). Rows list various eco-ATWB-E models and their corresponding performance metrics.



Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model, 3/2/2018, and 67-115 (Flow) and 89.6-115 (Flow) for various configurations. The table contains a dense grid of numerical data representing thermal performance metrics.





Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model, 3/2/2018, and 67-115 (Flow) and 89.6-115 (Flow) for various configurations. The table contains performance data for different models and flow rates.





Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model, GPM, and Flow (89.6 to 115) and rows for various eco-ATWB models (e.g., eco-ATWB-17-3L12-U12, eco-ATWB-17-3L12-U22, etc.).



Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model, Flow (GPM), and First through Third Flow (PSI) for various temperatures (67 to 99.6). The table contains performance data for 100 different models, showing flow rates and pressure drops under various conditions.





Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model, 70, 72, 75, 77, 80, 82, 85, 87, 90, 92, 95, 97, 100, 102, 105, 107, 110, 112, 115, 89.6, 90, 98.6, 98.6, First Flow, First Flow, First Flow, Second Flow, Second Flow, Second Flow, Third Flow, Third Flow, Third Flow. Rows include models like eco-ATWB-H-10-2112-U12, eco-ATWB-H-10-2112-U22, etc.





Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model, 70, 72, 75, 77, 80, 82, 85, 87, 90, 92, 95, 97, 100, 102, 105, 107, 110, 112, 115, 89.6, 102, 98.6, 98.6, First Flow, First Flow, First Flow, Second Flow, Second Flow, Second Flow, Third Flow, Third Flow, Third Flow. Rows include various model numbers like eco-ATWB-H 10-4L12-U12, eco-ATWB-H 10-4L12-U22, etc.



Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model, 3/2/2018, and 67-115 (Flow) and 89.6-115 (Flow). Rows list various model numbers and their corresponding performance metrics.





Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model, 70, 72, 75, 77, 80, 82, 85, 87, 90, 92, 95, 97, 100, 102, 105, 107, 110, 112, 115, 89.6, 102, 98.6, 98.6, First Flow, First Flow, First Flow, Second Flow, Second Flow, Second Flow, Third Flow, Third Flow, Third Flow. The table contains performance data for various Evapco models across a range of flow rates and temperatures.



Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Vapor as Process Fluid

Table with columns for Model, 3/2/2018, and 89.6 to 99.6. Rows list various eco-ATWB-E models and their corresponding performance metrics.





Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model, GPM, and Flow (89.6 to 115) and rows for various model numbers (e.g., eco-ATWB-H-2136-U12, eco-ATWB-H-2136-U22, etc.).



Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model, GPM, and Flow (89.6 to 115) and rows for various model numbers (e.g., eco-ATWB-H 10-4136-U12, eco-ATWB-H 10-4136-U12, etc.).





Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with 32 columns (3/2/2018, 67, 70, 72, 77, 75, 72, 75, 77, 82, 80, 77, 80, 82, 87, 85, 82, 85, 87, 92, 90, 87, 90, 92, 97, 95, 92, 95, 92, 102, 100, 102, 107, 105, 102, 105, 107, 112, 110, 107, 110, 112, 117, 115, 89.6, 102, 98.6, 98.6, 98.6, First, First, First, Second, Second, Second, Third, Third, Third) and 100 rows of data.



Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model, 3/2/2018, and 67-115 (Flow) and 89.6-115 (Flow) for various configurations. The table contains a dense grid of numerical data representing thermal performance metrics.





Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model, GPM, PSI, and Flow for various temperatures (70-115) and flow rates (8.6-115). The table contains performance data for different coil configurations and models.







Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with 32 columns (3/2/2018, 67-115, 89.6-98.6, First-Third Flow, First-Third Flow) and 100 rows of data representing thermal performance metrics for various models and conditions.



Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model, Flow, and Temperature (70-115). Rows list various model configurations and their corresponding performance metrics.





Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model, Flow (GPM), and Temperature (°F) for various coil configurations. The table is organized in a grid with 3 columns per model and 10 models per row, totaling 30 columns. The first row lists models from 67 to 82, and subsequent rows list models from 83 to 102, continuing in this pattern up to model 925. Each cell contains a numerical value representing a performance metric.



Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model, Flow (GPM), and Temperature (°F) for various configurations. The table lists performance metrics for different coil types and flow rates, including flow, pressure drop, and efficiency.





Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with 32 columns for flow rates (3/2/2018) and 32 rows for model numbers (eco-ATWB-H 12-1L24-U12 to eco-ATWB-H 12-4N24-C44). Each cell contains numerical data representing thermal performance metrics.







Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model, 3/2/2018, and 89 flow rate columns (67-115). Rows list various model numbers and their corresponding performance metrics.



Evapco e-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model, GPM, and 100 different flow rates (70 to 92). Each cell contains a numerical value representing thermal performance. The table is organized into a grid with 100 rows and 100 columns of data points.





Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model, Flow (GPM), and First Flow (PSI Inlet) for various temperatures (67 to 115) and flow rates (89.6 to 98.6). The table contains performance data for 100 different models.



Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model, 3/2/2018, and 89.6 to 115. Performance metrics include Flow, First, Second, and Third Flow for various models.





Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Vapour as Process Fluid

Table with 32 columns (3/2/2018, 67-115, 89.6-98.6, First-Third Flow, First-Third Flow) and 100 rows of data representing thermal performance metrics for various models.



Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model, GPM, and Flow (89.6 to 115) and rows for various model numbers (e.g., eco-ATWB-24-4K14-U12, eco-ATWB-24-4K14-U22, etc.).





Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model, GPM, and Flow (89.6 to 115) and rows for various models (eco-ATWB-24-3L18-U12 to eco-ATWB-24-2M20-C44).



Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model, GPM, and Flow (89.6 to 115) and rows for various model numbers (e.g., eco-ATWB-H 24-M20-U12, eco-ATWB-H 24-M20-U22, etc.).





Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with 32 columns (70-92) and 100 rows (Model to eco-ATWB-H-8-314-C34-Z). Each row contains numerical data representing thermal performance metrics for various models and conditions.



Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with 13 columns for flow rates (67, 70, 72, 75, 77, 80, 82, 85, 87, 90, 92, 95, 97, 100, 102, 107, 105, 102, 105, 107, 110, 112, 117, 115, 100) and 35 rows of data for various model numbers (e.g., eco-ATWB-H 8-3114-C44-Z, eco-ATWB-H 8-3114-C12-Z, etc.).





Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model, 72, 77, 75, 72, 75, 77, 82, 80, 77, 80, 82, 87, 85, 82, 85, 87, 92, 90, 87, 90, 92, 95, 95, 92, 95, 97, 102, 100, 97, 100, 102, 102, 105, 105, 107, 112, 110, 107, 110, 102, 105, 100, 89.6, 102, 98.6, 98.6, 98.6, 98.6, First Flow, First PSI, First Inlet, Second Flow, Second PSI, Second Inlet, Third Flow, Third PSI, Third Inlet. Rows include models like eco-ATWB-H 8-3H21-C44-2, eco-ATWB-H 8-3I21-C12-2, etc.



Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with 32 columns (3/2/2018, 67-102) and 100 rows of thermal performance data for various Evapco eco-ATWB-E models. Each row includes model number, flow rate (GPM), and inlet/outlet temperatures (PSI, Inlet, GPM, PSI, Inlet).





Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with 48 columns (70-88) and 48 rows (70-88). The table lists thermal performance data for various model configurations (e.g., eco-ATWB-H 8-4H42-C44-2) under different conditions (e.g., 70, 75, 80, 85, 90). Each cell contains multiple numerical values representing different performance metrics.



Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with 100 columns (70-115) and 100 rows (67-234). Columns represent flow rates (GPM) and rows represent model numbers. Each cell contains a numerical value representing thermal performance.





Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model, GPM, PSI, Inlet, and Flow for various configurations (e.g., eco-ATWB-9-2114-C44-2, eco-ATWB-9-2114-U12-2, etc.).







Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with 32 columns (70-90) and 100 rows of data. Includes headers for Model, GPM, PSI, Inlet, and various flow/temperature metrics. The table contains a dense grid of numerical values representing thermal performance data for different models and conditions.



Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with 32 columns (70-921) and 100 rows (Model to eco-ATWB-H 16-2112-C34-Z). Columns represent flow rates (GPM) and temperatures (°F) for various coil configurations. The table is organized into sections for different coil types (e.g., 16-3112, 16-1812, 16-1412, 16-1012, 16-0612, 16-0212) and water temperatures (H, C, W).





Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with 32 columns (77-115) and 100 rows of thermal performance data for Evapco eco-ATWB-E line units. Columns include flow rate (GPM), inlet/outlet temperatures (°F), and various performance metrics (PSI, etc.).



Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model, 72, 75, 80, 82, 87, 85, 82, 85, 87, 90, 92, 95, 92, 95, 97, 100, 102, 105, 107, 110, 112, 117, 115, 89.6, 102, 98.6, 98.6, First Flow, First Flow, First Flow, Second Flow, Second Flow, Second Flow, Third Flow, Third Flow, Third Flow. Rows include models like eco-ATWB-H 17-3114-C44-2, eco-ATWB-H 17-3114-U12-2, etc.





Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with 32 columns (77-108) and 100 rows of data. Columns represent flow rates (GPM) and temperatures (°F). Rows represent different model configurations (e.g., eco-ATWB-H 8-419-C44-Z, eco-ATWB-H 8-419-C12-Z, etc.).







Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model, GPM, PSI, Inlet, and various flow rates (57-115) and temperatures (89.6-98.6). Rows list different models like eco-ATWB-H-8-4K21-C44-2, eco-ATWB-H-8-4K21-C12-2, etc.



Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for 3/2/2018, Model, and 40 temperature points (67 to 102), followed by 30 performance metrics (GPM, PSI, Inlet, etc.).



Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model, GPM, PSI, Inlet, and Outlet temperatures (70-115) and flow rates (89.6-98.6). Rows represent various coil models and their performance metrics.





Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with 32 columns (70-107) and 100 rows of data. Each row represents a specific model (e.g., eco-ATWB-H 9-3K14-U44-Z) and lists various performance metrics such as flow rate, pressure drop, and efficiency. The table is organized into a grid with model names in the first column and numerical values in the subsequent columns.



Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with 32 columns for flow rates (50-115 GPM) and 32 rows for model numbers (eco-ATWB-H-9-3K1-U44-Z to eco-ATWB-H-3L14-C34-Z). Each cell contains a numerical value representing thermal performance.



Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model, 67-115, 89.6-98.6, and First through Third Flow rates. Includes a sub-header for 3/2/2018 and a detailed grid of performance data points for various models and flow conditions.





Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model, Flow (50-115), and Temperature (67-110). Rows represent different model configurations and their corresponding performance metrics.



Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with 32 columns (7-38) and 100 rows (1-100). Columns represent flow rates (50-350 GPM) and temperatures (70-110°F). Rows represent different model configurations. Each cell contains numerical values for flow, pressure, and other performance metrics.



Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model, 70, 72, 77, 75, 72, 75, 77, 82, 80, 77, 80, 82, 87, 85, 82, 85, 87, 92, 90, 87, 90, 92, 95, 92, 95, 97, 102, 100, 97, 100, 102, 102, 105, 102, 105, 107, 112, 110, 117, 115, 89.6, 102, 98.6, 98.6, First Flow, First Flow, First Flow, Second Flow, Second Flow, Second Flow, Third Flow, Third Flow, Third Flow. Rows include models like eco-ATWB-H 10-3L18-C44-Z, eco-ATWB-H 10-3L18-U12-Z, etc.





Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model, Flow (50-115), and First through Third Flow (89.6-115). Rows list various model numbers like eco-ATWB-H-10-2M24-C44-2 and their corresponding performance metrics.



Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model, GPM, PSI, Inlet, and Flow for various temperatures (67 to 99.6) and flow rates (50 to 1500). Includes a sub-column for 3/2/2018.



Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model, 67, 70, 72, 75, 77, 80, 82, 85, 87, 90, 92, 95, 97, 100, 102, 105, 107, 110, 112, 115, 89.6, 90, 98.6, 98.6, First Flow, First PSI, Second Flow, Second PSI, Third Flow, Third PSI. Rows include models like eco-ATWB-H 10-4L36-C44, eco-ATWB-H 10-4L36-U12, etc.





Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model, 3/2/2018, and various flow rate and temperature parameters (67, 70, 72, 75, 77, 80, 82, 87, 85, 82, 85, 87, 92, 90, 87, 90, 92, 95, 92, 95, 102, 100, 102, 105, 107, 112, 117, 115, 89.6, 102, 98.6, 98.6, First Flow, First Flow, First Flow, Second Flow, Second Flow, Second Flow, Third Flow, Third Flow, Third Flow).



Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model, 70, 72, 77, 75, 72, 75, 77, 80, 77, 80, 82, 87, 85, 82, 85, 87, 90, 90, 87, 90, 92, 97, 95, 92, 95, 97, 102, 100, 97, 100, 102, 107, 105, 102, 105, 107, 112, 110, 107, 110, 112, 117, 115, 89.6, 102, 98.6, 98.6, 98.6, 98.6, First Flow, First Flow, First Flow, Second Flow, Second Flow, Second Flow, Third Flow, Third Flow, Third Flow. Rows include models like eco-ATWB-H 20-3K18-C44, eco-ATWB-H 20-3K18-U12, etc.



Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model, Flow (50-115), and Temperature (67-110). Rows list various model numbers and their corresponding performance metrics.





Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with 32 columns (77-110) and 100 rows of data. Columns represent flow rates (GPM) and rows represent different model configurations (e.g., eco-ATWB-H 12-2N14-C44-Z). Each cell contains a numerical value representing thermal performance.





Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model, 70, 72, 75, 80, 82, 85, 87, 90, 92, 95, 97, 100, 102, 105, 107, 110, 112, 117, 115, 89.6, 102, 98.6, 98.6, First Flow, First Flow, First Flow, Second Flow, Second Flow, Second Flow, Third Flow, Third Flow, Third Flow. Rows include various model numbers like eco-ATWB-H 12-3L20-C44-2, eco-ATWB-H 12-3L20-U12-2, etc.





Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with 32 columns (3/2018, 67, 70, 72, 77, 75, 62, 65, 67, 82, 80, 77, 80, 82, 87, 85, 82, 85, 87, 92, 90, 87, 90, 92, 95, 92, 95, 97, 102, 100, 97, 100, 102, 107, 105, 107, 112, 110, 107, 110, 112, 117, 115, 89.6, 102, 98.6, 98.6, First, First, First, Second, Second, Second, Third, Third, Third) and multiple rows of data for various model numbers.



Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with 32 columns (72-103) and 100 rows (Model to eco-ATWB-H 12-3N36-C34). Each row contains numerical data representing thermal performance metrics.



Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with columns for Model, GPM, and PSI (80, 90, 100, 110, 120, 130, 140, 150, 160, 170, 180, 190, 200, 210, 220, 230, 240, 250, 260, 270, 280, 290, 300, 310, 320, 330, 340, 350, 360, 370, 380, 390, 400, 410, 420, 430, 440, 450, 460, 470, 480, 490, 500, 510, 520, 530, 540, 550, 560, 570, 580, 590, 600, 610, 620, 630, 640, 650, 660, 670, 680, 690, 700, 710, 720, 730, 740, 750, 760, 770, 780, 790, 800, 810, 820, 830, 840, 850, 860, 870, 880, 890, 900, 910, 920, 930, 940, 950, 960, 970, 980, 990, 1000, 1010, 1020, 1030, 1040, 1050, 1060, 1070, 1080, 1090, 1100, 1110, 1120, 1130, 1140, 1150, 1160, 1170, 1180, 1190, 1200, 1210, 1220, 1230, 1240, 1250, 1260, 1270, 1280, 1290, 1300, 1310, 1320, 1330, 1340, 1350, 1360, 1370, 1380, 1390, 1400, 1410, 1420, 1430, 1440, 1450, 1460, 1470, 1480, 1490, 1500, 1510, 1520, 1530, 1540, 1550, 1560, 1570, 1580, 1590, 1600, 1610, 1620, 1630, 1640, 1650, 1660, 1670, 1680, 1690, 1700, 1710, 1720, 1730, 1740, 1750, 1760, 1770, 1780, 1790, 1800, 1810, 1820, 1830, 1840, 1850, 1860, 1870, 1880, 1890, 1900, 1910, 1920, 1930, 1940, 1950, 1960, 1970, 1980, 1990, 2000, 2010, 2020, 2030, 2040, 2050, 2060, 2070, 2080, 2090, 2100, 2110, 2120, 2130, 2140, 2150, 2160, 2170, 2180, 2190, 2200, 2210, 2220, 2230, 2240, 2250, 2260, 2270, 2280, 2290, 2300, 2310, 2320, 2330, 2340, 2350, 2360, 2370, 2380, 2390, 2400, 2410, 2420, 2430, 2440, 2450, 2460, 2470, 2480, 2490, 2500, 2510, 2520, 2530, 2540, 2550, 2560, 2570, 2580, 2590, 2600, 2610, 2620, 2630, 2640, 2650, 2660, 2670, 2680, 2690, 2700, 2710, 2720, 2730, 2740, 2750, 2760, 2770, 2780, 2790, 2800, 2810, 2820, 2830, 2840, 2850, 2860, 2870, 2880, 2890, 2900, 2910, 2920, 2930, 2940, 2950, 2960, 2970, 2980, 2990, 3000, 3010, 3020, 3030, 3040, 3050, 3060, 3070, 3080, 3090, 3100, 3110, 3120, 3130, 3140, 3150, 3160, 3170, 3180, 3190, 3200, 3210, 3220, 3230, 3240, 3250, 3260, 3270, 3280, 3290, 3300, 3310, 3320, 3330, 3340, 3350, 3360, 3370, 3380, 3390, 3400, 3410, 3420, 3430, 3440, 3450, 3460, 3470, 3480, 3490, 3500, 3510, 3520, 3530, 3540, 3550, 3560, 3570, 3580, 3590, 3600, 3610, 3620, 3630, 3640, 3650, 3660, 3670, 3680, 3690, 3700, 3710, 3720, 3730, 3740, 3750, 3760, 3770, 3780, 3790, 3800, 3810, 3820, 3830, 3840, 3850, 3860, 3870, 3880, 3890, 3900, 3910, 3920, 3930, 3940, 3950, 3960, 3970, 3980, 3990, 4000, 4010, 4020, 4030, 4040, 4050, 4060, 4070, 4080, 4090, 4100, 4110, 4120, 4130, 4140, 4150, 4160, 4170, 4180, 4190, 4200, 4210, 4220, 4230, 4240, 4250, 4260, 4270, 4280, 4290, 4300, 4310, 4320, 4330, 4340, 4350, 4360, 4370, 4380, 4390, 4400, 4410, 4420, 4430, 4440, 4450, 4460, 4470, 4480, 4490, 4500, 4510, 4520, 4530, 4540, 4550, 4560, 4570, 4580, 4590, 4600, 4610, 4620, 4630, 4640, 4650, 4660, 4670, 4680, 4690, 4700, 4710, 4720, 4730, 4740, 4750, 4760, 4770, 4780, 4790, 4800, 4810, 4820, 4830, 4840, 4850, 4860, 4870, 4880, 4890, 4900, 4910, 4920, 4930, 4940, 4950, 4960, 4970, 4980, 4990, 5000, 5010, 5020, 5030, 5040, 5050, 5060, 5070, 5080, 5090, 5100, 5110, 5120, 5130, 5140, 5150, 5160, 5170, 5180, 5190, 5200, 5210, 5220, 5230, 5240, 5250, 5260, 5270, 5280, 5290, 5300, 5310, 5320, 5330, 5340, 5350, 5360, 5370, 5380, 5390, 5400, 5410, 5420, 5430, 5440, 5450, 5460, 5470, 5480, 5490, 5500, 5510, 5520, 5530, 5540, 5550, 5560, 5570, 5580, 5590, 5600, 5610, 5620, 5630, 5640, 5650, 5660, 5670, 5680, 5690, 5700, 5710, 5720, 5730, 5740, 5750, 5760, 5770, 5780, 5790, 5800, 5810, 5820, 5830, 5840, 5850, 5860, 5870, 5880, 5890, 5900, 5910, 5920, 5930, 5940, 5950, 5960, 5970, 5980, 5990, 6000, 6010, 6020, 6030, 6040, 6050, 6060, 6070, 6080, 6090, 6100, 6110, 6120, 6130, 6140, 6150, 6160, 6170, 6180, 6190, 6200, 6210, 6220, 6230, 6240, 6250, 6260, 6270, 6280, 6290, 6300, 6310, 6320, 6330, 6340, 6350, 6360, 6370, 6380, 6390, 6400, 6410, 6420, 6430, 6440, 6450, 6460, 6470, 6480, 6490, 6500, 6510, 6520, 6530, 6540, 6550, 6560, 6570, 6580, 6590, 6600, 6610, 6620, 6630, 6640, 6650, 6660, 6670, 6680, 6690, 6700, 6710, 6720, 6730, 6740, 6750, 6760, 6770, 6780, 6790, 6800, 6810, 6820, 6830, 6840, 6850, 6860, 6870, 6880, 6890, 6900, 6910, 6920, 6930, 6940, 6950, 6960, 6970, 6980, 6990, 7000, 7010, 7020, 7030, 7040, 7050, 7060, 7070, 7080, 7090, 7100, 7110, 7120, 7130, 7140, 7150, 7160, 7170, 7180, 7190, 7200, 7210, 7220, 7230, 7240, 7250, 7260, 7270, 7280, 7290, 7300, 7310, 7320, 7330, 7340, 7350, 7360, 7370, 7380, 7390, 7400, 7410, 7420, 7430, 7440, 7450, 7460, 7470, 7480, 7490, 7500, 7510, 7520, 7530, 7540, 7550, 7560, 7570, 7580, 7590, 7600, 7610, 7620, 7630, 7640, 7650, 7660, 7670, 7680, 7690, 7700, 7710, 7720, 7730, 7740, 7750, 7760, 7770, 7780, 7790, 7800, 7810, 7820, 7830, 7840, 7850, 7860, 7870, 7880, 7890, 7900, 7910, 7920, 7930, 7940, 7950, 7960, 7970, 7980, 7990, 8000, 8010, 8020, 8030, 8040, 8050, 8060, 8070, 8080, 8090, 8100, 8110, 8120, 8130, 8140, 8150, 8160, 8170, 8180, 8190, 8200, 8210, 8220, 8230, 8240, 8250, 8260, 8270, 8280, 8290, 8300, 8310, 8320, 8330, 8340, 8350, 8360, 8370, 8380, 8390, 8400, 8410, 8420, 8430, 8440, 8450, 8460, 8470, 8480, 8490, 8500, 8510, 8520, 8530, 8540, 8550, 8560, 8570, 8580, 8590, 8600, 8610, 8620, 8630, 8640, 8650, 8660, 8670, 8680, 8690, 8700, 8710, 8720, 8730, 8740, 8750, 8760, 8770, 8780, 8790, 8800, 8810, 8820, 8830, 8840, 8850, 8860, 8870, 8880, 8890, 8900, 8910, 8920, 8930, 8940, 8950, 8960, 8970, 8980, 8990, 9000, 9010, 9020, 9030, 9040, 9050, 9060, 9070, 9080, 9090, 9100, 9110, 9120, 9130, 9140, 9150, 9160, 9170, 9180, 9190, 9200, 9210, 9220, 9230, 9240, 9250, 9260, 9270, 9280, 9290, 9300, 9310, 9320, 9330, 9340, 9350, 9360, 9370, 9380, 9390, 9400, 9410, 9420, 9430, 9440, 9450, 9460, 9470, 9480, 9490, 9500, 9510, 9520, 9530, 9540, 9550, 9560, 9570, 9580, 9590, 9600, 9610, 9620, 9630, 9640, 9650, 9660, 9670, 9680, 9690, 9700, 9710, 9720, 9730, 9740, 9750, 9760, 9770, 9780, 9790, 9800, 9810, 9820, 9830, 9840, 9850, 9860, 9870, 9880, 9890, 9900, 9910, 9920, 9930, 9940, 9950, 9960, 9970, 9980, 9990, 10000.





Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with 32 columns (Model, 67-100, 102-115, 89.6-98.6, First-Third Flow, First-Third Flow) and 100 rows of data.



Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with 32 columns (3/2/2018, 67-115, 89.6-115, 89.6-115, First-Third Flow, First-Third Flow, Second-Third Flow, Second-Third Flow, Third-Third Flow, Third-Third Flow) and multiple rows of data for various model numbers and conditions.







Evapco eco-ATWB-E Line Thermal Performance in USGPM - Galvanized Steel Coil - Water Water as Process Fluid

Table with 32 columns (70-107) and 100 rows of data. Each row represents a specific model and its performance metrics across various flow rates and temperatures. The table includes headers for Model, Flow, PSI, Inlet, GPM, and PSI for each of the 32 columns.

