UNIT COOLING TOWER		EVADOO TALO GYGDOO			T3122C48-DRD-ST	REV.	
MODEL #	AT 212-4N36	SCALE NTS	EVAPCO, I	NC. Grand	SERIAL	#	DATE 3/12/2025
2. HEA 3. MPT FPT BFW GVIE FLG 4. +UN ACC 5. MAK 20 p 6. 3/4" REF DRA 7. DIM	S: FAN MOTOR LOCATION IVIEST SECTION IS UPPER: T DENOTES MALE PIPE THR DENOTES FEMALE PIPE THR DENOTES BEVELED FOR DENOTES GROOVED DENOTES FLANGE IIT WEIGHT DOES NOT INCL SESSORIES (SEE ACCESSO) (E-UP WATER PRESSURE ISI MIN [137 kPa], 50 psi MAX [19MM] DIA. MOUNTING HO ER TO RECOMMENDED STI WING ENSIONS LISTED AS FOLLO ENGLISH FT-IN METRIC] [mm]	EEAD HREAD WELDING LUDE RY DRAWINGS) [344 kPa] LES. EEL SUPPORT	FACE B PLAN VIEW	ACCESS DOOR FAC		ACCESS DOOR	FACE D
] 		7" [178] - [2"]	1'-3 1/4"	9'-0" (M)		(2) 10" [250] BFW/GVD INLET	
		7'-2 1/4" [2191]	2'-1 1/4" [641] 1'-4 7/8" [429] 8 1/2" [216] 3 5/8" [92]	9'-0" [2743] [5258] 17'-6 3/4" [5353] 18'-0" [5486]	(2) 3" [80] F OVERFLOW (2) 3" [80] F DRAIN (2) 2" [50] MPT MAKE-UP 2 1/2" [64]	OHHEL	
	FACE B		\ -	<u>FAC</u>	E A		
SHIPPING 25460 lbs+ [11550] kg+ OPERATING WEIGHT WEIGHT			HT 44000 lbs+ [19960] kg+	HEAVIEST SECTION 8700 lbs+ [3950]	kg+	O. OF SHIPPING SECTIONS 4	DRAWN BY: KDS