



Evapco LSWE Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Propylene Glycol as Process Fluid

Table with columns for date (8/23/2016), Model, and 48 numerical columns representing thermal performance metrics. The table lists various models from LSWE 4-2F6 to LSWE 8P-3M12.



Evapco LSWE Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Propylene Glycol as Process Fluid

Table with columns for date (8/23/2016), Model, and 48 numerical columns representing thermal performance metrics. Rows list various models from LSWE 8P-4L12 to LSWE 10-4M18.



Evapco LSWE Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Propylene Glycol as Process Fluid

Table with columns for Model, 8/23/2016, and 48 numerical columns representing performance metrics. Rows include models like LSWE 10-4N18, LSWE 10-5L18, etc., down to LSWE 4-5L18-Z.



Evapco LSWE Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Propylene Glycol as Process Fluid

Table with columns for date (8/23/2016), Model, and 48 numerical columns representing thermal performance metrics. Rows list various LSWE models such as LSWE 4-5M18-Z, LSWE 5-3K12-Z, etc.



Evapco LSWE Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Propylene Glycol as Process Fluid

Table with columns for date (8/23/2016), Model, and 48 numerical columns representing thermal performance metrics. The table lists various coil models (e.g., LSWE 8P-7N24-Z) and their corresponding values across the 48 columns.