



Evapco eco-ATWB-H Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, Flow Rate (GPM), and First/Second/Third Flow (FWS, FWS, FWS) and First/Second/Third Flow (FWS, FWS, FWS). Rows list various Evapco eco-ATWB-H models from 169-C12 to 4412-C2.



Table with columns for Model, 70, 72, 74, 75, 77, 78, 80, 82, 85, 87, 90, 92, 95, 97, 100, 102, 105, 107, 110, 112, 115, 88.6, 90, 98.6, 98.6, 98.6, First Flow, First Second, Second Flow, Second Third, Third Flow, Third Third. Rows include models like eco-ATWB-H-4112-C4, eco-ATWB-H-4112-C5, etc.



Evapco eco-ATWB-H L Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, 70, 72, 74, 75, 77, 78, 80, 82, 85, 87, 90, 92, 95, 97, 100, 102, 105, 107, 110, 112, 115, 88.6, 102, 88.6, 98.6, 98.6, First Flow, First Second, Second Flow, Second Third, Third Flow, Third Third. Rows list various model numbers and their corresponding performance metrics.









Evapco eco-ATWB-H Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with 10 columns for Model (57-94) and 30 columns for First, Second, and Third flow rates at various temperatures (70-94). Each cell contains numerical values representing performance metrics.



Evapco eco-ATWB-H Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with 37 columns (67-103) and 100 rows (eco-ATWB-H-100-C4 to eco-ATWB-H-409-U4A). Each row contains numerical data representing thermal performance metrics for different models and conditions.



evapec® FOR LIFE

Evapec eco-ATWB-H Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, Flow Rate (GPM), and Temperature (°F) for various configurations. The table lists performance metrics for different models and flow rates, including inlet and outlet temperatures and flow rates.







Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco® for Life

Evapco eco-ATWB-H L Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, Flow Rate (GPM), and Temperature (°F) for various Evapco eco-ATWB-H models. The table lists performance data for models ranging from eco-ATWB-H-0414-012 to eco-ATWB-H-3818-024.



evapco

FOR LIFE

Evapco eco-ATWB-H L Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, 70, 72, 75, 77, 80, 82, 85, 87, 90, 92, 95, 97, 100, 102, 105, 107, 110, 112, 115, 88.6, 102, 88.6, 88.6, 88.6, First Flow, First Second, Second Flow, Second Third, Third Flow, Third Third. Rows include models like eco-ATWB-H-3818-C34, eco-ATWB-H-3818-U34, etc.







evapco

FOR LIFE

Evapco eco-ATWB-H Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, Flow Rate (GPM), and Temperature (°F) for various configurations. The table lists performance metrics for different flow rates and temperatures across multiple models.



For Life

Eapco eco-ATWB-H Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, Inlet/Outlet Temp (67-110), and Flow Rate (1-10). Rows list various model numbers and their corresponding performance metrics.





evapco FOR LIFE

Evapco eco-ATWB-H L Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, Flow Rate (GPM), and First/Second/Third Flow temperatures. The table lists performance data for various Evapco eco-ATWB-H models under different flow conditions.









Evapco eco-ATWB-H Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, 70, 72, 74, 75, 77, 78, 80, 82, 84, 85, 87, 88, 90, 92, 94, 95, 97, 100, 102, 105, 107, 110, 112, 115, 89.6, 102, 88.6, 98.6, 98.6, First Flow, First Second, Second Flow, Second Third, Third Flow, Third Third. The table contains a grid of numerical data representing thermal performance metrics for various Evapco models under different conditions.



For Life

Evpaco eco-ATWB-H Coil Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, 70, 72, 74, 75, 77, 78, 80, 82, 85, 87, 90, 92, 95, 100, 102, 105, 107, 110, 112, 115, 88.6, 100, 88.6, 98.6, 98.6, First Flow, First Second, Second Flow, Second Third, Third Flow, Third Third. Rows list various models from eco-ATWB-H-1M24-C4 to eco-ATWB-H-1424-U4.



evapco FOR LIFE

Evapco eco-ATWB-H L Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, Flow Rate (GPM), and Temperature (°F) for various Evapco eco-ATWB-H models. The table lists performance metrics for models ranging from eco-ATWB-H-40M24-C2 to eco-ATWB-H-208M-12C.















evapco® For Life™

Evapco eco-ATWB-H L Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, Flow Rate (GPM), and First through Third Second and Third Flow temperatures. The table contains multiple rows of data for various models and flow rates.















Evapco® For Life

Evapco eco-ATWB-H L2 Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, Flow Rate (70-110), Inlet Temp (50-100), and various performance metrics (First Flow, Second Flow, Third Flow, etc.). The table contains a large grid of numerical data points for each model and flow rate combination.



Evapco e-ATWB-H 20% Ethylene Glycol Water as Process Fluid

Table with columns for Model, 50-100, 102-107, 109-112, 114-115, 88.6, 90.6, 92.6, 94.6, 96.6, 98.6, 100.6, 102.6, 104.6, 106.6, 108.6, 110.6, 112.6, 114.6, 116.6, 118.6, 120.6, 122.6, 124.6, 126.6, 128.6, 130.6, 132.6, 134.6, 136.6, 138.6, 140.6, 142.6, 144.6, 146.6, 148.6, 150.6, 152.6, 154.6, 156.6, 158.6, 160.6, 162.6, 164.6, 166.6, 168.6, 170.6, 172.6, 174.6, 176.6, 178.6, 180.6, 182.6, 184.6, 186.6, 188.6, 190.6, 192.6, 194.6, 196.6, 198.6, 200.6, 202.6, 204.6, 206.6, 208.6, 210.6, 212.6, 214.6, 216.6, 218.6, 220.6, 222.6, 224.6, 226.6, 228.6, 230.6, 232.6, 234.6, 236.6, 238.6, 240.6, 242.6, 244.6, 246.6, 248.6, 250.6, 252.6, 254.6, 256.6, 258.6, 260.6, 262.6, 264.6, 266.6, 268.6, 270.6, 272.6, 274.6, 276.6, 278.6, 280.6, 282.6, 284.6, 286.6, 288.6, 290.6, 292.6, 294.6, 296.6, 298.6, 300.6, 302.6, 304.6, 306.6, 308.6, 310.6, 312.6, 314.6, 316.6, 318.6, 320.6, 322.6, 324.6, 326.6, 328.6, 330.6, 332.6, 334.6, 336.6, 338.6, 340.6, 342.6, 344.6, 346.6, 348.6, 350.6, 352.6, 354.6, 356.6, 358.6, 360.6, 362.6, 364.6, 366.6, 368.6, 370.6, 372.6, 374.6, 376.6, 378.6, 380.6, 382.6, 384.6, 386.6, 388.6, 390.6, 392.6, 394.6, 396.6, 398.6, 400.6, 402.6, 404.6, 406.6, 408.6, 410.6, 412.6, 414.6, 416.6, 418.6, 420.6, 422.6, 424.6, 426.6, 428.6, 430.6, 432.6, 434.6, 436.6, 438.6, 440.6, 442.6, 444.6, 446.6, 448.6, 450.6, 452.6, 454.6, 456.6, 458.6, 460.6, 462.6, 464.6, 466.6, 468.6, 470.6, 472.6, 474.6, 476.6, 478.6, 480.6, 482.6, 484.6, 486.6, 488.6, 490.6, 492.6, 494.6, 496.6, 498.6, 500.6, 502.6, 504.6, 506.6, 508.6, 510.6, 512.6, 514.6, 516.6, 518.6, 520.6, 522.6, 524.6, 526.6, 528.6, 530.6, 532.6, 534.6, 536.6, 538.6, 540.6, 542.6, 544.6, 546.6, 548.6, 550.6, 552.6, 554.6, 556.6, 558.6, 560.6, 562.6, 564.6, 566.6, 568.6, 570.6, 572.6, 574.6, 576.6, 578.6, 580.6, 582.6, 584.6, 586.6, 588.6, 590.6, 592.6, 594.6, 596.6, 598.6, 600.6, 602.6, 604.6, 606.6, 608.6, 610.6, 612.6, 614.6, 616.6, 618.6, 620.6, 622.6, 624.6, 626.6, 628.6, 630.6, 632.6, 634.6, 636.6, 638.6, 640.6, 642.6, 644.6, 646.6, 648.6, 650.6, 652.6, 654.6, 656.6, 658.6, 660.6, 662.6, 664.6, 666.6, 668.6, 670.6, 672.6, 674.6, 676.6, 678.6, 680.6, 682.6, 684.6, 686.6, 688.6, 690.6, 692.6, 694.6, 696.6, 698.6, 700.6, 702.6, 704.6, 706.6, 708.6, 710.6, 712.6, 714.6, 716.6, 718.6, 720.6, 722.6, 724.6, 726.6, 728.6, 730.6, 732.6, 734.6, 736.6, 738.6, 740.6, 742.6, 744.6, 746.6, 748.6, 750.6, 752.6, 754.6, 756.6, 758.6, 760.6, 762.6, 764.6, 766.6, 768.6, 770.6, 772.6, 774.6, 776.6, 778.6, 780.6, 782.6, 784.6, 786.6, 788.6, 790.6, 792.6, 794.6, 796.6, 798.6, 800.6, 802.6, 804.6, 806.6, 808.6, 810.6, 812.6, 814.6, 816.6, 818.6, 820.6, 822.6, 824.6, 826.6, 828.6, 830.6, 832.6, 834.6, 836.6, 838.6, 840.6, 842.6, 844.6, 846.6, 848.6, 850.6, 852.6, 854.6, 856.6, 858.6, 860.6, 862.6, 864.6, 866.6, 868.6, 870.6, 872.6, 874.6, 876.6, 878.6, 880.6, 882.6, 884.6, 886.6, 888.6, 890.6, 892.6, 894.6, 896.6, 898.6, 900.6, 902.6, 904.6, 906.6, 908.6, 910.6, 912.6, 914.6, 916.6, 918.6, 920.6, 922.6, 924.6, 926.6, 928.6, 930.6, 932.6, 934.6, 936.6, 938.6, 940.6, 942.6, 944.6, 946.6, 948.6, 950.6, 952.6, 954.6, 956.6, 958.6, 960.6, 962.6, 964.6, 966.6, 968.6, 970.6, 972.6, 974.6, 976.6, 978.6, 980.6, 982.6, 984.6, 986.6, 988.6, 990.6, 992.6, 994.6, 996.6, 998.6, 1000.6



evapco FOR LIFE

Evapco eco-ATWB-H Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, GPM, and First/Second/Third Flow/Frost. Rows include models like eco-ATWB-H 12-3M36-C12, eco-ATWB-H 12-3M36-C12, etc., up to eco-ATWB-H 12-2040-C12.









Evpaco eco-ATWB-H L Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, 70, 72, 74, 75, 77, 78, 80, 82, 85, 87, 90, 92, 95, 97, 100, 102, 105, 107, 110, 112, 115, 89.6, 102, 89.6, 88.6, 86.6, 84.6, 82.6, 80.6, 78.6, 76.6, 74.6, 72.6, 70.6, 68.6, 66.6, 64.6, 62.6, 60.6, 58.6, 56.6, 54.6, 52.6, 50.6, 48.6, 46.6, 44.6, 42.6, 40.6, 38.6, 36.6, 34.6, 32.6, 30.6, 28.6, 26.6, 24.6, 22.6, 20.6, 18.6, 16.6, 14.6, 12.6, 10.6, 8.6, 6.6, 4.6, 2.6, 0.6. Rows include models like eco-ATWB-H-2114-C4, eco-ATWB-H-2114-U4, etc.



**Evapco eco-ATWB-H Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid**

3/17/2018	67	70	72	75	77	78	80	82	85	87	90	92	94	95	97	100	102	105	107	110	112	115	88.6	90.6	92.6	94.6	96.6	98.6	First Flow	Second Flow	Third Flow	Third Flow																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
eco-ATWB-H-2X18-012	666	91.1	3068.6	1184.2	697.6	79.2	3042.1	1222.7	784	83.8	1138.4	1346.5	1447.3	85.3	90.3	124.4	147.1	158.9	193.7	98.4	130.5	162.7	173.9	188.5	193.2	197.2	198.4	200.1	201.3	203.1	204.3	205.5	206.7	207.9	209.1	210.3	211.5	212.7	213.9	215.1	216.3	217.5	218.7	219.9	221.1	222.3	223.5	224.7	225.9	227.1	228.3	229.5	230.7	231.9	233.1	234.3	235.5	236.7	237.9	239.1	240.3	241.5	242.7	243.9	245.1	246.3	247.5	248.7	249.9	251.1	252.3	253.5	254.7	255.9	257.1	258.3	259.5	260.7	261.9	263.1	264.3	265.5	266.7	267.9	269.1	270.3	271.5	272.7	273.9	275.1	276.3	277.5	278.7	279.9	281.1	282.3	283.5	284.7	285.9	287.1	288.3	289.5	290.7	291.9	293.1	294.3	295.5	296.7	297.9	299.1	300.3	301.5	302.7	303.9	305.1	306.3	307.5	308.7	309.9	311.1	312.3	313.5	314.7	315.9	317.1	318.3	319.5	320.7	321.9	323.1	324.3	325.5	326.7	327.9	329.1	330.3	331.5	332.7	333.9	335.1	336.3	337.5	338.7	339.9	341.1	342.3	343.5	344.7	345.9	347.1	348.3	349.5	350.7	351.9	353.1	354.3	355.5	356.7	357.9	359.1	360.3	361.5	362.7	363.9	365.1	366.3	367.5	368.7	369.9	371.1	372.3	373.5	374.7	375.9	377.1	378.3	379.5	380.7	381.9	383.1	384.3	385.5	386.7	387.9	389.1	390.3	391.5	392.7	393.9	395.1	396.3	397.5	398.7	399.9	401.1	402.3	403.5	404.7	405.9	407.1	408.3	409.5	410.7	411.9	413.1	414.3	415.5	416.7	417.9	419.1	420.3	421.5	422.7	423.9	425.1	426.3	427.5	428.7	429.9	431.1	432.3	433.5	434.7	435.9	437.1	438.3	439.5	440.7	441.9	443.1	444.3	445.5	446.7	447.9	449.1	450.3	451.5	452.7	453.9	455.1	456.3	457.5	458.7	459.9	461.1	462.3	463.5	464.7	465.9	467.1	468.3	469.5	470.7	471.9	473.1	474.3	475.5	476.7	477.9	479.1	480.3	481.5	482.7	483.9	485.1	486.3	487.5	488.7	489.9	491.1	492.3	493.5	494.7	495.9	497.1	498.3	499.5	500.7	501.9	503.1	504.3	505.5	506.7	507.9	509.1	510.3	511.5	512.7	513.9	515.1	516.3	517.5	518.7	519.9	521.1	522.3	523.5	524.7	525.9	527.1	528.3	529.5	530.7	531.9	533.1	534.3	535.5	536.7	537.9	539.1	540.3	541.5	542.7	543.9	545.1	546.3	547.5	548.7	549.9	551.1	552.3	553.5	554.7	555.9	557.1	558.3	559.5	560.7	561.9	563.1	564.3	565.5	566.7	567.9	569.1	570.3	571.5	572.7	573.9	575.1	576.3	577.5	578.7	579.9	581.1	582.3	583.5	584.7	585.9	587.1	588.3	589.5	590.7	591.9	593.1	594.3	595.5	596.7	597.9	599.1	600.3	601.5	602.7	603.9	605.1	606.3	607.5	608.7	609.9	611.1	612.3	613.5	614.7	615.9	617.1	618.3	619.5	620.7	621.9	623.1	624.3	625.5	626.7	627.9	629.1	630.3	631.5	632.7	633.9	635.1	636.3	637.5	638.7	639.9	641.1	642.3	643.5	644.7	645.9	647.1	648.3	649.5	650.7	651.9	653.1	654.3	655.5	656.7	657.9	659.1	660.3	661.5	662.7	663.9	665.1	666.3	667.5	668.7	669.9	671.1	672.3	673.5	674.7	675.9	677.1	678.3	679.5	680.7	681.9	683.1	684.3	685.5	686.7	687.9	689.1	690.3	691.5	692.7	693.9	695.1	696.3	697.5	698.7	699.9	701.1	702.3	703.5	704.7	705.9	707.1	708.3	709.5	710.7	711.9	713.1	714.3	715.5	716.7	717.9	719.1	720.3	721.5	722.7	723.9	725.1	726.3	727.5	728.7	729.9	731.1	732.3	733.5	734.7	735.9	737.1	738.3	739.5	740.7	741.9	743.1	744.3	745.5	746.7	747.9	749.1	750.3	751.5	752.7	753.9	755.1	756.3	757.5	758.7	759.9	761.1	762.3	763.5	764.7	765.9	767.1	768.3	769.5	770.7	771.9	773.1	774.3	775.5	776.7	777.9	779.1	780.3	781.5	782.7	783.9	785.1	786.3	787.5	788.7	789.9	791.1	792.3	793.5	794.7	795.9	797.1	798.3	799.5	800.7	801.9	803.1	804.3	805.5	806.7	807.9	809.1	810.3	811.5	812.7	813.9	815.1	816.3	817.5	818.7	819.9	821.1	822.3	823.5	824.7	825.9	827.1	828.3	829.5	830.7	831.9	833.1	834.3	835.5	836.7	837.9	839.1	840.3	841.5	842.7	843.9	845.1	846.3	847.5	848.7	849.9	851.1	852.3	853.5	854.7	855.9	857.1	858.3	859.5	860.7	861.9	863.1	864.3	865.5	866.7	867.9	869.1	870.3	871.5	872.7	873.9	875.1	876.3	877.5	878.7	879.9	881.1	882.3	883.5	884.7	885.9	887.1	888.3	889.5	890.7	891.9	893.1	894.3	895.5	896.7	897.9	899.1	900.3	901.5	902.7	903.9	905.1	906.3	907.5	908.7	909.9	911.1	912.3	913.5	914.7	915.9	917.1	918.3	919.5	920.7	921.9	923.1	924.3	925.5	926.7	927.9	929.1	930.3	931.5	932.7	933.9	935.1	936.3	937.5	938.7	939.9	941.1	942.3	943.5	944.7	945.9	947.1	948.3	949.5	950.7	951.9	953.1	954.3	955.5	956.7	957.9	959.1	960.3	961.5	962.7	963.9	965.1	966.3	967.5	968.7	969.9	971.1	972.3	973.5	974.7	975.9	977.1	978.3	979.5	980.7	981.9	983.1	984.3	985.5	986.7	987.9	989.1	990.3	991.5	992.7	993.9	995.1	996.3	997.5	998.7	999.9





Evapec eco-ATWB-H Coil Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, Flow Rate (GPM), Inlet Temp (°F), Outlet Temp (°F), and First/Second/Third Flow (GPM). The table lists performance data for various models (e.g., eco-ATWB-H-209C-4Z) across a range of flow rates from 57 to 130 GPM and inlet temperatures from 60 to 110 °F.





3/27/2018

EvaPco eco-ATWB-H Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with 10 columns: Model, 67-72, 77-82, 87-92, 97-102, 107-112, 117-122, 127-132, 137-142, 147-152. Each cell contains numerical data representing thermal performance metrics for various models and conditions.



For Life

Evpaco eco-ATWB-H L Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, Flow Rate (GPM), and Temperature (°F) for various Evpaco eco-ATWB-H coil models. The table lists performance metrics for models ranging from 4664 to 8824, including flow rates from 50 to 120 GPM and temperatures from 60 to 120 °F.



Evapco eco-ATWB-H Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, Flow, and First through Third Second, Third Second, and Third Third. The table contains a large grid of numerical data points for various models and flow rates.







Eapco eco-ATWB-H L Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, Flow Rate (60-120), and Temperature (70-120). Rows list various Eapco models and their corresponding performance metrics.



Etapco eco-ATWB-H Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, 67, 70, 72, 77, 75, 72, 75, 77, 82, 80, 77, 80, 82, 87, 85, 82, 85, 95, 92, 97, 95, 92, 95, 97, 100, 100, 102, 107, 105, 102, 105, 107, 112, 110, 107, 110, 107, 100, 102, 105, 100, 89.6, 90, 89.6, 89.6, 89.6, First Flow, First Flow, First Flow, Second Flow, Second Flow, Second Flow, Third Flow, Third Flow, Third Flow. The table contains a dense grid of numerical data representing thermal performance metrics for various models and conditions.





Evapco eco-ATWB-H Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, Flow, and First/Second/Third Flow. Rows list various model numbers (e.g., eco-ATWB-H-9-4R18-U22) and their corresponding performance metrics across a range of flow rates.



3/27/2018

Evapco eco-ATWB-H Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with 33 columns (70-103) and 100 rows of data. Each row represents a different model of the Evapco eco-ATWB-H coil, showing various performance metrics such as flow rates, temperatures, and efficiencies. The table is organized into 10 blocks of 10 rows each.





evapco FOR LIFE

3/27/2018 Evapco eco-ATW-H Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, GPM, and various temperature points (67 to 130). Rows list different model configurations such as eco-ATW-H-17314-44-622, eco-ATW-H-17314-44-623, etc.





For Life

Evapco eco-ATWB-H Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, Flow Rate (GPM), and Temperature (°F) for various coil configurations. The table provides detailed thermal performance data for each model under different flow and temperature conditions.





for LIFE

Evapco eco-ATWB-H Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, GPM, and Delta T. The table contains multiple rows of data for various models (e.g., eco-ATWB-H-208CZ2, eco-ATWB-H-212CZ2) and GPM values (67 to 1200). Each row lists Delta T values for three flow rates (First, Second, Third) and three flow velocities (First, Second, Third).



FOR LIFE

Eapco eco-ATWB-H Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, GPM, and various temperatures (70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, 178, 180, 182, 184, 186, 188, 190, 192, 194, 196, 198, 200). Rows include models like eco-ATWB-H-8K42-C44Z, eco-ATWB-H-8K42-C12Z, etc.








evapco FOR LIFE

Evapco eco-ATWB-H Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, Flow Rate (GPM), Inlet Temp (°F), Outlet Temp (°F), and First/Second/Third Flow Rates (GPM) and First/Second/Third Flow Rates (°F). Rows include models like eco-ATWB-H-3K01-U14-2, eco-ATWB-H-3K02-U14-2, etc., up to eco-ATWB-H-16K14-U14-2.



3/27/2018 Evapco eco-ATWB-H Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, 67, 70, 72, 77, 75, 72, 75, 77, 82, 80, 77, 80, 82, 85, 87, 92, 90, 87, 90, 87, 92, 90, 100, 107, 105, 102, 107, 110, 107, 110, 112, 117, 115, 88.6, 102, 88.6, 98.6, 98.6, 98.6, First Flow, Second Flow, Third Flow, and Third Flow. The table contains a dense grid of numerical data points for various models and flow rates.



Evapco eTO-W-H Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, Flow Rate (GPM), and Temperature (°F) for various Evapco eTO-W-H models. The table contains multiple rows of data for each model, showing performance metrics across a range of flow rates and temperatures.





Evapco eco-ATWB-H Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, Flow Rate (GPM), and Temperature (°F) for various configurations. Includes a sub-table for 3/2018 models.



Evapco eco-ATWB-H Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, Flow Rate (GPM), and Temperature (°F) for various Evapco eco-ATWB-H line models. The table contains multiple rows of data for different models and flow rates, showing performance metrics.







FOR LIFE

Evapco eco-ATWB-H Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, Flow Rate (GPM), Inlet Temp (°F), Outlet Temp (°F), and various efficiency metrics (First, Second, Third, etc.). The table contains multiple rows of data for different models and flow rates.



Evapco eco-ATWB-H Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, Flow Rate (GPM), and Temperature (°F) for various Evapco eco-ATWB-H units. The table lists performance metrics for models ranging from eco-ATWB-H-20M12-122 to eco-ATWB-H-30R18-1442.



For Life

Evapco Aero-ATWB-H Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, Flow Rate (GPM), and Temperature (°F) for various Evapco Aero-ATWB-H line models. The table contains multiple rows of data for each model, showing performance metrics across a range of flow rates and temperatures.





3/27/2018

Evpaco eco-ATWB-H Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with 4 columns: Model, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150, 160, 170, 180, 190, 200, 210, 220, 230, 240, 250, 260, 270, 280, 290, 300, 310, 320, 330, 340, 350, 360, 370, 380, 390, 400, 410, 420, 430, 440, 450, 460, 470, 480, 490, 500, 510, 520, 530, 540, 550, 560, 570, 580, 590, 600, 610, 620, 630, 640, 650, 660, 670, 680, 690, 700, 710, 720, 730, 740, 750, 760, 770, 780, 790, 800, 810, 820, 830, 840, 850, 860, 870, 880, 890, 900, 910, 920, 930, 940, 950, 960, 970, 980, 990, 1000. Each cell contains numerical data representing thermal performance metrics.





Evapco eco-ATWB-H Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, 67-70, 72, 75, 77, 82, 85, 87, 92, 95, 97, 100, 102, 107, 110, 112, 117, 107, 110, 112, 115, 107, 89.6, 102, 98.6, 98.6, First Flow, Second Flow, Third Flow, and Third Flow. The table contains a dense grid of numerical data points for various models and flow rates.



Evapco eco-ATWB-H Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with 15 columns for Model and 135 columns for flow rates (57 to 135 GPM). Each cell contains a numerical value representing thermal performance. Includes a 'First Flow' column at the end.

3/27/2018

Evapco eco-ATWB-H Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Model	57	60	62	65	68	70	72	75	77	80	82	85	87	88	89	90	92	94	95	97	100	102	105	107	110	112	117	115	88.6	102	98.6	98.6	First Flow	Second Flow	Third Flow	Third Flow																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
Model	60	62	65	68	70	72	75	77	80	82	85	87	88	89	90	92	94	95	97	100	102	105	107	110	112	117	115	88.6	102	98.6	98.6	First Flow	Second Flow	Third Flow	Third Flow																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
eco-ATWB-H-12-2068-12-2	6307	6651	6955	7095	7265	7415	7535	7635	7725	7805	7875	7935	7985	8025	8055	8085	8115	8145	8175	8205	8235	8265	8295	8325	8355	8385	8415	8445	8475	8505	8535	8565	8595	8625	8655	8685	8715	8745	8775	8805	8835	8865	8895	8925	8955	8985	9015	9045	9075	9105	9135	9165	9195	9225	9255	9285	9315	9345	9375	9405	9435	9465	9495	9525	9555	9585	9615	9645	9675	9705	9735	9765	9795	9825	9855	9885	9915	9945	9975	10005	10035	10065	10095	10125	10155	10185	10215	10245	10275	10305	10335	10365	10395	10425	10455	10485	10515	10545	10575	10605	10635	10665	10695	10725	10755	10785	10815	10845	10875	10905	10935	10965	10995	11025	11055	11085	11115	11145	11175	11205	11235	11265	11295	11325	11355	11385	11415	11445	11475	11505	11535	11565	11595	11625	11655	11685	11715	11745	11775	11805	11835	11865	11895	11925	11955	11985	12015	12045	12075	12105	12135	12165	12195	12225	12255	12285	12315	12345	12375	12405	12435	12465	12495	12525	12555	12585	12615	12645	12675	12705	12735	12765	12795	12825	12855	12885	12915	12945	12975	13005	13035	13065	13095	13125	13155	13185	13215	13245	13275	13305	13335	13365	13395	13425	13455	13485	13515	13545	13575	13605	13635	13665	13695	13725	13755	13785	13815	13845	13875	13905	13935	13965	13995	14025	14055	14085	14115	14145	14175	14205	14235	14265	14295	14325	14355	14385	14415	14445	14475	14505	14535	14565	14595	14625	14655	14685	14715	14745	14775	14805	14835	14865	14895	14925	14955	14985	15015	15045	15075	15105	15135	15165	15195	15225	15255	15285	15315	15345	15375	15405	15435	15465	15495	15525	15555	15585	15615	15645	15675	15705	15735	15765	15795	15825	15855	15885	15915	15945	15975	16005	16035	16065	16095	16125	16155	16185	16215	16245	16275	16305	16335	16365	16395	16425	16455	16485	16515	16545	16575	16605	16635	16665	16695	16725	16755	16785	16815	16845	16875	16905	16935	16965	16995	17025	17055	17085	17115	17145	17175	17205	17235	17265	17295	17325	17355	17385	17415	17445	17475	17505	17535	17565	17595	17625	17655	17685	17715	17745	17775	17805	17835	17865	17895	17925	17955	17985	18015	18045	18075	18105	18135	18165	18195	18225	18255	18285	18315	18345	18375	18405	18435	18465	18495	18525	18555	18585	18615	18645	18675	18705	18735	18765	18795	18825	18855	18885	18915	18945	18975	19005	19033	19065	19095	19125	19155	19185	19215	19245	19275	19305	19333	19365	19395	19425	19455	19485	19515	19545	19575	19605	19633	19665	19695	19725	19755	19785	19815	19845	19875	19905	19933	19965	19995	20025	20055	20085	20115	20145	20175	20205	20235	20265	20295	20325	20355	20385	20415	20445	20475	20505	20535	20565	20595	20625	20655	20685	20715	20745	20775	20805	20833	20865	20895	20925	20955	20985	21015	21045	21075	21105	21135	21165	21195	21225	21255	21285	21315	21345	21375	21405	21433	21465	21495	21525	21555	21585	21615	21645	21675	21705	21733	21765	21795	21825	21855	21885	21915	21945	21975	22005	22033	22065	22095	22125	22155	22185	22215	22245	22275	22305	22333	22365	22395	22425	22455	22485	22515	22545	22575	22605	22633	22665	22695	22725	22755	22785	22815	22845	22877	22905	22933	22965	22995	23025	23055	23085	23115	23145	23177	23205	23233	23265	23295	23325	23355	23385	23415	23445	23477	23505	23533	23565	23595	23622	23655	23685	23715	23745	23777	23805	23833	23865	23895	23922	23955	23985	24015	24045	24077	24105	24133	24165	24195	24222	24255	24285	24315	24345	24377	24405	24433	24465	24495	24522	24555	24585	24615	24645	24677	24705	24733	24765	24795	24822	24855	24885	24915	24945	24977	25005	25033	25065	25095	25122	25155	25185	25215	25245	25277	25305	25333	25365	25395	25422	25455	25485	25515	25545	25577	25605	25633	25665	25695	25722	25755	25785	25815	25845	25877	25905	25933	25965	25995	26022	26055	26085	26115	26145	26177	26205	26233	26265	26295	26322	26355	26385	26415	26445	26477	26505	26533	26565	26595	26622	26655	26685	26715	26745	26777	26805	26833	26865	26895	26922	26955	26985	27015	27045	27077	27105	27133	27165	27195	27222	27255	27285	27315	27345	27377	27405	27433	27465	27495	27522	27555	27585	27615	27645	27677	27705	27733	27765	27795	27822	27855	27885	27915	27945	27977	28005	28033	28065	28095	28122	28155	28185	28215	28245	28277	28305	28333	28365	28395	28422	28455	28485	28515	28545	28577	28605	28633	28665	28695	28722	28755	28785	28815	28845	28877	28905	28933	28965	28995	29022	29055	29085	29115	29145	29177	29205	29233	29265	29295	29322	29355	29385	29415	29445	29477	29505	29533	29565	29595	29622	29655	29685	29715	29745	29777	29805	29833	29865	29895	29922	29955	29985	30015	30045	30077	30105	30133	30165	30195	30222	30255	30285	30315	30345	30377	30405	30433	30465	30495	30522	30555	30585	30615	30645	30677	30705	30733	30765	30795	30822	30855	30885	30915	30945	30977	31005	31033	31065	31095	31122	31155	31185	31215	31245	31277	31305	31333	31365	31395	31422	31455	31485	31515	31545	31577	31605	31633	31665	31695	31722	31755	31785	31815	31845	31877	31905	31933	31965	31995	32022	32055	32085	32115	32145	32177	32205	32233	32265	32295	32322	32355	32385	32415	32445	32477	32505	32533	32565	32595	32622	32655	32685	32715	32745	32777	32805	32833	32865	32895	32922	32955	32985	33015	33045	33077	33105	33133	33165	33195	33222	33255	33285	33315	33345	33377	33405	33433	33465	33495	33522	33555	33585	33615	33645	33677	33705	33733	33765	33795	33822	33855	33885	33915	33945	33977	34005	34033	34065	34095	34122	34155	34185	34215	34245	34277	34305	34333	34365	34395	34422	34455	34485	34515	34545	34577	34605	34633	34665	34695	34722	34755	34785	34815	34845	34877	34905	34933	34965	34995	35022	35055	35085	35115	35145	35177	35205	35233	35265	35295	35322	35355	35385	35415	35445	35477	35505	35533	35565	35595	35622	35655	35685	35715	35745	35777	35805	35833	35865	35895	35922	35955	35985	36015	36045	36077	36105	36133	36165	36195	36222	36255	36285	36315	36345	36377	36405	36433	36465	36495	36522	36555	36585	36615	36645	36677	36705	36733	36765	36795	36822	36855	36885	36915	36945	36977	37005	37033	37065	37095	37122	37155	37185	37215	37245	37277	37305	37333	37365	37395	37422	37455	37485	37515	37545	37577	37605	37633	37665	37695	37722	37755	37785	37815	37845	37877	37905	37933	37965	37995	38022	38055	38085	38115	38145	38177	38205	38233	38265	38295	38322	38355	38385	38415	38445	38477	38505	38533	38565	38595	38622	38655	38685	38715	38745	38777	38805	38833	38865	38895	38922	38955	38985	39015	39045	39077	39105	39133	39165	39195	39222	39255	39285	39315	39345	39377	39405	39433	39465	39495	39522	39555	39585	39615	39645	39677	39705	39733	39765	39795	39822	39855	39885	39915	39945	39977	40005	40033	40065	40095	40122	40155	40185	40215	40245	40277	40305	40333	40365	40395	40422	40455	40485	40515	40545	40577	40605	40633	40665	40695	40722	40755	40785	40815	40845	40877	40905	40933	40965	40995	41022	41055	41085	41115	41145	41177	41205	41233	41265	41295	41322	41355	41385	41415	41445	41477	41505	41533	41565	41595	41622	41655	41685	41715	41745	41777	41805	41833	41865	41895	41922	41955	41985	42015	42045	42077	42105	42133	42165	42195	42222	42255	42285	42315	42345	42377	42405	42433	42465	42495	42522	42555	42585	42615	42645	42677	42705	4



Evapco eco-ATW-H Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, GPM (67-102), and First/Second/Third Flow (F1, F2, F3) for various temperatures (67-102). The table contains a dense grid of numerical data points for each model and temperature combination.





Evapco eco-ATWB-H Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, Flow Rate (GPM), and Temperature (°F) for various configurations. The table lists performance metrics for different flow rates and temperatures, including flow rate, pressure drop, and efficiency.









3/27/2018

Evapco eco-ATWB-H Line Thermal Performance in USGPM - Galvanized Steel Coil - 30% Ethylene Glycol Water as Process Fluid

Table with columns for Model, 67, 70, 72, 77, 75, 72, 75, 77, 82, 80, 77, 80, 82, 87, 85, 82, 85, 87, 92, 90, 87, 90, 92, 97, 102, 100, 107, 105, 102, 105, 107, 112, 110, 107, 110, 107, 100, 102, 105, 100, 89.6, 102, 98.6, 98.6, 98.6, First Flow, First Flow, First Flow, Second Flow, Second Flow, Second Flow, Third Flow, Third Flow, Third Flow. Rows include models like eco-ATWB-H 24-2ND-U44-2, eco-ATWB-H 24-2ND-U22-2, etc.